

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| S1 | 2 | "20020016917" | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 08:10 |
| S2 | 4 | ("6804742" "6061449").pn. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/02/08 13:37 |
| S3 | 2 | "5432923".pn. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 10:25 |
| S4 | 1011 | 713/193.ccls. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 08:05 |
| S5 | 1626 | 713/1.ccls. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 08:07 |
| S6 | 616 | 713/502.ccls. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 08:07 |
| S7 | 67 | 380/264.ccls. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 10:55 |
| S8 | 105 | ("5857024" "4326267" "5923759" "5922073" "6034902" "4310897" "4542288" "4544835" "4810868" "4813024" "5253295" "5343530" "5436621" "5574912" "5588146" "5726770" "5798708" "5812762" "5818030" "5841119" "5894551" "5963980" "5963340" "5991207" "6012145" "6067351" "6145739" "6182217" "4007355" "4104721" "4256955" "4271482" "4322612" "4364472" "4367402" "4434473" "4450535" "4486828" "4491873" "4523297" "4529870" "4536739" "4614861" "4771462" "4791669" "4797922" "4799153" "4807288" "4811291" "4816656").pn. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 08:44 |
| S9 | 3192 | (read\$3 or access\$3) with (data or password\$1 or identification) with (before or prior) with (boot\$3 or power\$3 or reset\$3 or initial\$7) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 10:27 |

| | | | | | | |
|-----|------|---|--|----|-----|------------------|
| S10 | 331 | boot\$3 same (encrypt\$3 or decrypt\$3) with key\$1 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 10:29 |
| S11 | 4207 | (boot\$3 or start\$3 or power\$3) same (encrypt\$3 or decrypt\$3) with key\$1 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 10:29 |
| S12 | 2197 | (boot\$3 or power\$3) same (encrypt\$3 or decrypt\$3) with key\$1 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 10:29 |
| S13 | 0 | 713/502.ccls and (713/1.ccls. or 713/2.ccls.) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 10:55 |
| S14 | 2547 | (713/1.ccls. or 713/2.ccls.) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 10:55 |
| S15 | 9 | S14 and S6 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 11:16 |
| S16 | 13 | ("4120030" "4278837" "4634807" "5442645" "5249232" "5666411"). pn. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 11:38 |
| S17 | 279 | secur\$2 with load\$3 with key\$1 with (encrypt\$4 or decrypt\$4) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 11:40 |
| S18 | 201 | secur\$2 with load\$3 with key\$1 with (encrypt\$4 or decrypt\$4) and (power or reset or boot) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 13:23 |
| S19 | 941 | (cpu or processor) with disabl\$3 with (load\$3 or transmit\$4) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 12:08 |
| S20 | 350 | (cpu or processor) with disabl\$3 with (load\$3 or transmit\$4) with (data or key\$1 or password\$1 or pin) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 12:09 |
| S21 | 33 | ((cpu or processor) near disabl\$3) with (load\$3 or transmit\$4) with (data or key\$1 or password\$1 or pin) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 12:09 |

| | | | | | | |
|-----|------|---|--|----|-----|------------------|
| S22 | 2 | "5960084".pn. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 14:15 |
| S23 | 5119 | (halt\$3 or suspend\$3 or dis\$1abl\$3) near (cpu or processor or micro\$processor or (central adj process\$3 adj unit)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 14:17 |
| S24 | 103 | (halt\$3 or suspend\$3 or dis\$1abl\$3) near (cpu or processor or micro\$processor or (central adj process\$3 adj unit)) with ((read\$3 or load\$3) near4 (data or key\$1 or password\$1)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 14:46 |
| S25 | 14 | S14 and load\$3 near key\$1 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 14:58 |
| S26 | 1 | (load\$3 near key\$1) adj5 ((prior or before) adj (initial\$7 or start\$3)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 15:01 |
| S27 | 965 | set\$1top\$1box\$2 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 15:13 |
| S28 | 60 | set\$1top\$1box\$2 and (encrypt\$4 near key\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 15:14 |
| S29 | 86 | set\$1top\$1box\$2 and (encrypt\$4 with key\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 15:28 |
| S30 | 4554 | encrypted with memory | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 15:29 |
| S31 | 123 | encrypted adj memory | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 15:33 |
| S32 | 7635 | (load\$3 or read\$3) near1 key\$1 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 15:34 |
| S33 | 33 | (load\$3 or read\$3) near1 key\$1 same secure adj (memory or storage) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 16:09 |

| | | | | | | |
|-----|-------|--|--|----|-----|------------------|
| S34 | 6 | ("6370601" "5696886" "6058474").pn. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 16:24 |
| S35 | 93 | vocoder\$1modem | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 16:25 |
| S36 | 89 | vocoder\$1modem and encrypt\$4 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 16:25 |
| S37 | 0 | vocoder\$1modem and encrypt\$4 and bios | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 16:25 |
| S38 | 40 | vocoder\$1modem and encrypt\$4 and boot | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/11 16:25 |
| S39 | 276 | encrypt\$4 with boot\$5 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 08:11 |
| S40 | 32 | encrypt\$4 with boot\$5 and (load\$3 or read\$3) near key | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 08:12 |
| S41 | 57 | encrypt\$4 with boot\$5 and (load\$3 or read\$3 or access\$3) near key | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 09:08 |
| S42 | 2 | "6415371".pn. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 09:08 |
| S43 | 29701 | serial adj bus | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 09:35 |
| S44 | 4770 | (serial adj bus).ab. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 09:35 |
| S45 | 2376 | (serial adj bus).ti. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 09:40 |

| | | | | | | |
|-----|------|--|--|----|-----|------------------|
| S46 | 151 | (serial adj bus).ti. and secur\$4 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 |
| S47 | 16 | (serial adj bus with memory).ti. and secur\$4 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 09:4 |
| S48 | 212 | (serial adj bus with memory).ti. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 09:54 |
| S49 | 166 | user with (id or identification) with boot\$5 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 09:56 |
| S50 | 595 | (system or user) with (id or identification) with boot\$5 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 09:56 |
| S51 | 42 | (system or user) with (id or identification) with boot\$5 and (\$2crypt\$4 with (id or identification)) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 10:17 |
| S52 | 262 | updat\$3 with boot\$4 with code | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 10:18 |
| S53 | 15 | updat\$3 with boot\$4 with code and code with \$2crypt\$4 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 10:49 |
| S54 | 1904 | broadcast adj wave\$1 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 10:49 |
| S55 | 21 | broadcast adj wave\$1 same (program\$1 or data) with encrypted | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 11:10 |
| S56 | 0 | broadcast adj wave\$1 same (cotent) with encrypted | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 11:10 |
| S57 | 6 | broadcast adj wave\$1 same (content) with encrypted | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 11:11 |

| | | | | | | |
|-----|-------|--|--|----|-----|------------------|
| S58 | 357 | broadcast same (content) with encrypted | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 |
| S59 | 53 | broadcast same (content) with encrypted with stor\$3 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 11:3 |
| S60 | 10092 | boot\$3 with tim\$3 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 11:30 |
| S61 | 198 | boot\$3 with tim\$3 same counter | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 11:31 |
| S62 | 526 | boot\$3 with tim\$3 same clock | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 11:32 |
| S63 | 98 | boot\$3 with tim\$3 same clock and load\$3 with (timer or counter) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 12:14 |
| S64 | 48 | boot\$3 with tim\$3 same clock same delay\$3 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 13:28 |
| S65 | 630 | boot\$3 with delay\$3 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 13:29 |
| S66 | 73 | boot\$3 with delay\$3 same (cpu or processor or micro\$1processor) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 13:31 |
| S67 | 0 | boot\$3 with delay\$3 same time near load\$3 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 13:31 |
| S68 | 31 | boot\$3 with delay\$3 same time with load\$3 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 13:39 |
| S69 | 398 | boot with timer\$1 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 13:40 |

| | | | | | | |
|-----|-----|---|--|----|-----|------------------|
| S70 | 9 | boot with timer\$1 same load | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 |
| S71 | 103 | boot with (timer\$1 or counter\$1) same load\$3 | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:2 |
| S72 | 308 | 725/31.ccls. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:31 |
| S73 | 9 | 725/31.ccls. and boot | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:35 |
| S74 | 85 | 725/31.ccls. and (timer or counter). | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:43 |
| S75 | 733 | 713/600.ccls. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:43 |
| S76 | 336 | 713/600.ccls. and (counter or timer) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:44 |
| S77 | 116 | 713/600.ccls. and (counter or timer) with (load or boot or reset) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:45 |
| S78 | 138 | 725/31.ccls. and (load\$3 or read\$3 or receiv\$3) with (key\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:46 |
| S79 | 41 | 725/31.ccls. and (load\$3 or read\$3 or receiv\$3) with (key\$1) same (processor\$1 or cpu or mpu or micro\$1processor\$1) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 15:02 |
| S80 | 2 | "6266715".pn. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 12:10 |
| S81 | 147 | boot with usb | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 12:10 |